

**Guarantees – Aluminium Substrates**

Environment		Interpon D System			
		Interpon D1036		Interpon D2525	
		Guarantee Period	Requirements <sup>1</sup>	Guarantee Period	Requirements <sup>1</sup>
<b>Normal C3 Inland</b>		<b>30 years</b> all finishes and gloss levels	Clean every 12 month	<b>40 years</b> all finishes and gloss levels	Clean every 18 months
<b>Marine - C4 Coastal</b>	2000m - 5000m from coastline	<b>30 years</b> all finishes and gloss levels	Minimum 60 microns Clean every 12 months	<b>40 years</b> all finishes and gloss levels	Minimum 70 microns Clean every 12 months
	500m - 2000m from coastline		Minimum 60 microns Clean every 6 months		Minimum 70 microns Clean every 9 months
	50 - 500m from coastline	<b>25 years</b> all finishes and gloss levels	Minimum 60 microns Clean every 3 months	<b>30 years</b> all finishes and gloss levels	Minimum 70 microns Clean every 3 months
	Less than 50m from coastline		Not available		Not available
<b>Industrial – C5-I</b>	2000m - 5000m from source of pollution	<b>30 years</b> all finishes and gloss levels	Minimum 60 microns Clean every 12 months	<b>40 years</b> all finishes and gloss levels	Minimum 70 microns Clean every 12 months
	500m - 2000m from source of pollution		Minimum 60 microns Clean every 6 months		Minimum 70 microns Clean every 9 months
	50 - 500m from source of pollution	<b>25 years</b> all finishes and gloss levels	Minimum 60 microns Clean every 3 months	<b>25 years</b> all finishes and gloss levels	Minimum 70 microns Clean every 3 months
	Less than 50m from source of pollution		Not available		Not available
<b>Swimming Pools</b>	Greater than 2m from edge of pool	<b>25 years</b> all finishes and gloss levels	Minimum 60 microns Clean every 3 months	<b>25 years</b> all finishes and gloss levels	Minimum 70 microns Clean every 3 months
	Less than 2m from edge of pool		Not available		Not available

Notes: Environmental classification as defined by ISO 12944-2

<sup>1</sup> Refer to Interpon D Approved Applicator Manual for full explanation of requirements